



**SASAME** <https://www.sasame.net/>  
FISHERMAN'S ENERGY



**E-mail** [oda@sasame.co.jp](mailto:oda@sasame.co.jp) or [mauro@sasame.co.jp](mailto:mauro@sasame.co.jp)

TEL +81 795 77 2622 FAX +81 795 77 1400

**SASAME HOOKS, LTD.**

573-1, Oku, Sannan-cho, Tanba-city, Hyogo-Pref, 669-3144 Japan **MADE IN JAPAN**

**FISHING TACKLES**  
FOR ALL OVER THE WORLD

# WORLD QUALITY



## SASAME COMPANY HISTORY


- 1946 Founder Mr. Yasumi Sasakura began manufacturing of fishing goods in Hyogo, Japan.
- 1981 Stock company SASAME HOOKS, Ltd. established with ¥12 million capital.
- 1985 Corporate headquarters, offices and warehouses completed.
- 1998 Capital expanded to ¥24 million.
- 1993 Additional new warehouse completed.
- 1996 Recognized as an Outstanding Corporation by the tax office.
- 1997 Company dormitory for employees completed.
- Overseas joint venture "Dalian Shashamai" established in Dalian, China.
- 1998 Overseas sales commenced.
- Manufacturing facility and company dormitory for employees completed.
- 2001 Saltwater brand "SHOUT" established.
- 2003 ISO Fishing Brand "YAIBA X" established.
- 2006 Sales revenue surpassed ¥1 billion.
- 2008 Overseas subsidiary in Thailand established. Jig manufacturing commenced.
- 2010 Black-Bass brand "RYUGI" established.
- New 5-story office & warehouse building completed.
- 2013 Fishing Light Game brand "JUNGLEGYM" established.
- 2014 Overseas subsidiary in Bangladesh established.
- 2017 As a response to the growing sales, International Sales Dept expanded its facilities and increased the number of employees.
- 2019 Overseas subsidiary in Myanmar established.
- 2020 Acquisition of the well-known Japanese terminal tackles manufacturer, Ishinada factory.



SASAME HEAD OFFICE



President N. Sasakura





**New!** CHIKA RINGED F-813 NICKEL F-814 RED




**New!** X-STRAIGHT F-892 BLACK NICKEL




## FEEDER HOOKS


### FEEDER CLASSIC F-869 NICKEL



### FEEDER METHOD F-871 BLACK NICKEL



### FEEDER F-915 BLACK NICKEL



## SPOON HOOKS

### SPOON OMEGA F-550 BLACK NICKEL




### SPOON IST F-551 BLACK NICKEL





**LIGHT BEAK** F-318 BLACK NICKEL




**LIVE CIRCLE** F-301 BLACK NICKEL



**O'SHANTY** F-303 NICKEL



**VOICE** F-302 BLACK NICKEL




**OCTO BEAK** F-304 BLACK NICKEL




**KAMIKAZE** F-387 NICKEL F-388 BLACK NICKEL




**SPINNER X** F-678 NICKEL



**DARK EYES** F-944 BLACK NICKEL




**KAMAKURA** F-345 BLACK NICKEL




**HEAVY CIRCLE ST F-414 BLACK NICKEL**




**LIGHT CIRCLE ST F-400 BLACK NICKEL**




**LIGHT CIRCLE TW F-401 BLACK NICKEL**



**SCREW CUT CHINU F-981 BROWN**



**DH-POINT CHINU F-930 BLACK NICKEL**



**DH-POINT IZU F-934 BLACK NICKEL**



# Carp'n sasame

European Carp Fishing Tackle.



# 釣 PAKED HOOKS


100% MADE IN JAPAN

HOOKS  
SASAME




SASAME FUSO COATING will reduce light reflections. It also improves penetration and durability. Recommended among top carp anglers.





# FLY HOOKS


**FL-2 WET** F-421 BROWN




**FL-4 RET** F-423 DARK BLACK



**FL-3 ST2X** F-422 BROWN



**FL-5 TL** F-424 DARK BLACK



**FL-6 SPW** F-430 DULL BLACK




**FL-1 SPW** F-980 BLACK NICKEL



**NARA** F-743 NICKEL





**RYUSEN W-HOLD** F-986 NICKEL F-987 RED F-988 BLACK NICKEL




**BAY BAY** F-715 BLACK NICKEL










**CAIRIO F-773 BLACK NICKEL**  





F-773 BLACK NICKEL


**PORTO CHINU X F-846 BLACK NICKEL**    



F-846 BLACK NICKEL

**AKITA KITSUNE RG F-984 NICKEL F-985 BLACK NICKEL**  

From 2/0 to 8/0 only in black nickel.





F-984 NICKEL F-985 BLACK NICKEL




**HOKORI F-983 NICKEL**   



F-983 NICKEL

**HOKORI TOURNAMENT F-989 NICKEL**  






F-989 NICKEL

**SODE F-730 NICKEL F-731 GOLD F-732 RED F-733 BLUE** 





F-730 NICKEL F-731 GOLD F-732 RED F-733 BLUE

**FALL'N FOX F-815 NICKEL F-819 BLACK NICKEL F-816 GOLD**  



F-815 NICKEL F-819 BLACK NICKEL F-816 GOLD

**EDO F-777 NICKEL** 



F-777 NICKEL

**OYGUI F-913 DULL BLACK**  




F-913 DULL BLACK




## TOMARU F-806 BROWN F-807 GOLD



## KEIRYU F-735 NICKEL F-739 BLACK NICKEL F-736 GOLD F-738 BLUE




## YAMAME F-745 NICKEL F-749 BLACK NICKEL F-746 GOLD




## CHIKA F-810 NICKEL F-811 GOLD F-812 RED



## UMITANAGO F-785 NICKEL F-789 BLACK NICKEL F-786 GOLD



## ABUMI F-800 NICKEL F-804 BLACK NICKEL F-801 GOLD




## FUNA F-751 BROWN F-752 GOLD



## KOAJI MARUJIKU F-790 NICKEL F-794 BLACK NICKEL F-791 GOLD



## KOAJI DOUCHI F-795 NICKEL F-799 BLACK NICKEL F-796 GOLD




## FANATIC PRO F-898 NICKEL F-899 GOLD




## MATCHING F-895 NICKEL F-896 GOLD




## EEL ORIENT F-906 BROWN



## LONG SHAFT F-848 BLACK NICKEL



## CARP F-759 BLACK NICKEL




## KAIZU F-880 NICKEL F-881 BLACK NICKEL F-882 GOLD



## ROUND JP F-826 BROWN




## MATCH JP F-900 BROWN




## CHINU F-710 NICKEL F-714 BLACK NICKEL F-711 GOLD F-712 RED F-713 DARK BLACK




## CHINU BARBLESS F-725 NICKEL F-729 BLACK NICKEL




## CHINU RINGED F-720 NICKEL F-724 BLACK NICKEL F-721 GOLD




## CHINU DOUBLE BARB F-838 BLACK NICKEL



## POWER CHINU F-943 BLACK NICKEL




## SODE SURE F-855 NICKEL F-859 BLACK NICKEL




## KANTO SURE F-860 NICKEL F-862 BROWN




## CHINU GOKUBOSO F-719 BLACK NICKEL F-716 GOLD




## SUPER-X F-910 BLACK NICKEL




**SEIGO F-700 NICKEL F-704 BLACK NICKEL F-702 RED**   




**SEIGO SLICED F-705 NICKEL F-706 BLACK NICKEL**    






**SEIGO RINGED F-709 BLACK NICKEL**   



**ISEAMA F-760 NICKEL F-764 BLACK NICKEL F-761 GOLD**   




**WORMER F-875 BLACK NICKEL**  




**WORMER SP F-878 BLACK NICKEL** 







**LS RINGED F-893 BLACK NICKEL** 




**LEOPARD F-821 BROWN F-824 BLACK NICKEL**   




**BEAK F-779 BLACK NICKEL**   




## KEIRYU RINGED F-741 BLACK NICKEL




## ISEAMA RINGED F-769 BLACK NICKEL




## IZU RINGED F-918 BLACK NICKEL




## GURE RINGED F-940 DULL BLACK




## CARPING F-834 BLACK NICKEL




## CARP REVO F-865 BLACK NICKEL




## WORM OFF 0724 F-950 BLACK NICKEL




## WORM ST 0715 F-955 BLACK NICKEL



## YOKOZUNA F-901 BLACK NICKEL




## YOKOZUNA RINGED F-903 BLACK NICKEL



# 鉤 PACKED HOOKS


100% MADE IN JAPAN

## ABERDEEN JIG F-999 BLACK NICKEL



## TREBLE HOOKS

### TREBLE TENKA TEN-1B BLACK NICKEL TEN-1N NICKEL



# サビキ FLASHER RIGS


HIGH QUALITY

RIGS  
SASAME

## EX-RUBBER SABIKI (PINK)



S-863




SIZE	3	4	5	6	7	8	9	10
BRANCH (mm)	0.12	0.12	0.14	0.16	0.20	0.20	0.23	0.28
MAIN (mm)	0.16	0.16	0.20	0.23	0.28	0.28	0.33	0.37

## EX-RUBBER SABIKI (WHITE)



S-864




SIZE	3	4	5	6	7	8
BRANCH (mm)	0.12	0.12	0.14	0.16	0.20	0.20
MAIN (mm)	0.16	0.16	0.20	0.23	0.28	0.28

## EX-RUBBER SABIKI (MIX)



S-865




SIZE	3	4	5	6	7	8
BRANCH (mm)	0.12	0.12	0.14	0.16	0.20	0.20
MAIN (mm)	0.16	0.16	0.20	0.23	0.28	0.28

## EX-RUBBER SABIKI (PINK FL)



S-866




SIZE	3	4	5	6	7	8
BRANCH (mm)	0.12	0.12	0.14	0.16	0.20	0.20
MAIN (mm)	0.16	0.16	0.20	0.23	0.28	0.28

## EX-RUBBER SABIKI (FISH SKIN)





S-867



SIZE	3	4	5	6	7	8
BRANCH (mm)	0.12	0.12	0.14	0.16	0.20	0.20
MAIN (mm)	0.16	0.16	0.20	0.23	0.28	0.28



## UV RUBBER SABIKI



SIZE: 3, 4, 5, 6      SIZE: 7, 8

■SPECIFICATION

SIZE	3	4	5	6	7	8
BRANCH (mm)	0.14	0.14	0.16	0.16	0.20	0.23
MAIN (mm)	0.20	0.20	0.23	0.23	0.28	0.33

S-873

## UV RUBBER SABIKI

■SPECIFICATION

SIZE	2	3	4	5	6	7
BRANCH (mm)	0.14	0.14	0.16	0.20	0.20	0.23
MAIN (mm)	0.20	0.20	0.23	0.28	0.28	0.33

S-875

## BROWN FEATHER SABIKI






■SPECIFICATION

SIZE	8	9	10	11	12
BRANCH (mm)	0.23	0.28	0.28	0.33	0.37
MAIN (mm)	0.33	0.37	0.37	0.37	0.40

S-618

## UV RUBBER SABIKI






■SPECIFICATION

SIZE	3	3	4	5
BRANCH (mm)	0.23	0.28	0.33	0.37
MAIN (mm)	0.33	0.37	0.40	0.43

TOK005

## RUBBER SABIKI *New!*

■SPECIFICATION

SIZE	8	9	10	11
BRANCH (mm)	0.23	0.28	0.33	0.37
MAIN (mm)	0.33	0.37	0.40	0.43

S-876

## UV RUBBER SABIKI *New!*




■SPECIFICATION

SIZE	3	4	5	6	7
BRANCH (mm)	0.20	0.20	0.23	0.23	0.28
MAIN (mm)	0.28	0.28	0.33	0.33	0.37

S-877

## RUBBER SABIKI *New!*






■SPECIFICATION

SIZE	3	4	5	6	7	8
BRANCH (mm)	0.12	0.14	0.14	0.16	0.20	0.23
MAIN (mm)	0.16	0.16	0.20	0.23	0.28	0.33

S-301

## UV & GLOW SABIKI *New!*






■SPECIFICATION

SIZE	7	8	9	10
BRANCH (mm)	0.28	0.33	0.37	0.40
MAIN (mm)	0.40	0.40	0.47	0.47

Z-202

## FEATHER & RAINBOW SABIKI






■SPECIFICATION

SIZE	8	9	9	10	10	12
BRANCH (mm)	0.20	0.23	0.28	0.23	0.28	0.33
MAIN (mm)	0.28	0.33	0.37	0.33	0.37	0.40

SA620

## PINK FEATHER SABIKI

■SPECIFICATION

SIZE	8	9	10	11	12	13
BRANCH (mm)	0.20	0.23	0.28	0.33	0.33	0.37
MAIN (mm)	0.28	0.33	0.37	0.40	0.40	0.43

S-624

## LIGHT SHORE SABIKI *New!*




■SPECIFICATION

WEIGHT (g)	5	7	10
SIZE	5	5	5
BRANCH (mm)	0.20	0.20	0.20
MAIN (mm)	0.23	0.23	0.23

TKS55

## LIGHT SHORE SABIKI *New!*




■SPECIFICATION

WEIGHT (g)	20	30	40
SIZE	3	3	4
BRANCH (mm)	0.37	0.37	0.40
MAIN (mm)	0.37	0.37	0.40

TKS50

# 糸付 SNELLED HOOKS


HIGH QUALITY



A perfect combination of finest materials, such as high carbon hooks and strong lines, makes our snelled hooks the best option for all kind of bait fishing.

**SHARP BUT STRONG**  
WORLD QUALITY  
HOOK & LINE

*Made in Japan*



ITEM No.	HOOK		LINE		PCS/PACK
	NAME	COLOR	SIZE	DIAMETER Length	
U01208	KEIRYU	Black Nickel	1	0.22mm	80cm 10
			2	0.22mm	
			4	0.20mm	
			6	0.18mm	
			8	0.16mm	
			10	0.14mm	
			12	0.12mm	
			14	0.12mm	

ITEM No.	HOOK		LINE		PCS/PACK
	NAME	COLOR	SIZE	DIAMETER Length	
U05108	CHIKA	NICKEL	8	0.16mm	80cm 10
			10	0.16mm	
			12	0.14mm	
			14	0.12mm	
			16	0.12mm	
			18	0.12mm	

ITEM No.	HOOK		LINE		PCS/PACK
	NAME	COLOR	SIZE	DIAMETER Length	
U10208	KOAJI MARU	Black Nickel	2	0.22mm	80cm 10
			4	0.22mm	
			6	0.18mm	
			8	0.16mm	
			10	0.14mm	
			12	0.14mm	

ITEM No.	HOOK		LINE		PCS/PACK
	NAME	COLOR	SIZE	DIAMETER Length	
U13108	SODE	NICKEL	4	0.20mm	80cm 10
			6	0.18mm	
			8	0.16mm	
			10	0.16mm	
			12	0.14mm	
			14	0.14mm	

ITEM No.	HOOK		LINE		PCS/PACK
	NAME	COLOR	SIZE	DIAMETER Length	
U16408	FUNA	BROWN	6	0.22mm	80cm 10
			8	0.20mm	
			10	0.18mm	
			12	0.16mm	

ITEM No.	HOOK		LINE		PCS/PACK
	NAME	COLOR	SIZE	DIAMETER Length	
U25208	CHINU	Black Nickel	1	0.22mm	80cm 10
			2	0.22mm	
			4	0.20mm	
			6	0.18mm	
			8	0.16mm	
			10	0.14mm	
			12	0.12mm	

ITEM No.	HOOK		LINE		PCS/PACK
	NAME	COLOR	SIZE	DIAMETER Length	
U24208	ISEAMA	Black Nickel	2	0.30mm	80cm 10
			4	0.26mm	
			6	0.24mm	
			8	0.22mm	
			10	0.22mm	
			12	0.20mm	
			14	0.20mm	

ITEM No.	HOOK		LINE		PCS/PACK
	NAME	COLOR	SIZE	DIAMETER Length	
U25212	CHINU	Black Nickel	1	0.35mm	120cm 10
			2	0.30mm	
			3	0.30mm	
			4	0.26mm	
			5	0.24mm	
			6	0.24mm	
			8	0.22mm	
			10	0.20mm	

ITEM No.	HOOK		LINE		PCS/PACK
	NAME	COLOR	SIZE	DIAMETER Length	
U27212	PORTO CHINU	Black Nickel	1	0.35mm	120cm 10
			2	0.35mm	
			3	0.30mm	
			4	0.28mm	
			6	0.26mm	
			8	0.24mm	

# 投釣 CASTING

HIGH QUALITY

CASTING  
SASAME



## ANKO Zinc Lure "Nazono Ankou" (Mysterious Angler Fish Style)



### How to use?

1. For fishing: Just attach your main line to the tail of the jig, then add your choice of bait to the hook. (worms, prawn and I some all work well). Then cast into the water and wait for a bite.

2. If you can't go fishing: Just put it on your desk for fun and stress relief!

COLOR	LINE	WEIGHT	MATERIAL
#102	0.2mm	30g	zinc
#104			
#105			
#125			
#127			
#128			
#129			
#130			

## SPARE HOOK



**ANK11**  
Type A: Classic

**ANK12**  
Type B: Thin wire

**ANK13**  
Type C: With Ring



Hook: Maruseigo (Red)




Hook: Kisu Tech (Brown)



Hook: Wormer (Black Nickel)



## 210-A POWER STAINLESS SWIVEL STAINLESS



### ■SPECIFICATION

SIZE	10	8	7	6	5	4	3	2	1	1/0	2/0	3/0	4/0	5/0
STRENGTH	kg 19	27	38	46	55	76	91	133	189	212	316	361	430	540
	LB 41.88	59.51	83.75	101.38	121.22	167.50	200.56	293.13	416.56	467.25	696.46	795.64	947.72	1190.16
WEIGHT(g)	0.07	0.10	0.14	0.20	0.26	0.40	0.58	0.82	1.09	1.57	2.15	2.87	3.61	4.58
QUANTITY	10	10	10	10	10	10	9	7	5	4	4	3	2	2


## 500-A POWER STAINLESS SWIVEL STAINLESS



### ■SPECIFICATION

SIZE	8/0	10/0	12/0
STRENGTH	kg 430	580	720
	LB 947.72	1278.32	1586.88
WEIGHT(g)	7.90	11.75	17.45
QUANTITY	4	3	2

## 200-F POWER STAINLESS SWIVEL STAINLESS




### ■SPECIFICATION

SIZE	10	8	7	6	5	4
STRENGTH	kg 19	27	38	46	55	76
	LB 41.88	59.51	83.75	101.38	121.22	167.50
WEIGHT(g)	0.07	0.10	0.14	0.20	0.26	0.40
QUANTITY	9	9	9	9	8	7



## 210-J POWER STAINLESS SWIVEL STAINLESS *New!*




### ■SPECIFICATION

SIZE	10	8	7	6	5	4
STRENGTH	kg 19	27	38	46	55	76
	LB 41.88	59.52	83.77	101.41	121.25	167.55
WEIGHT(g)	0.07	0.10	0.14	0.20	0.26	0.40
QUANTITY	9	9	9	9	8	7

210-J

## 210-D POWER STAINLESS SWIVEL STAINLESS




### ■SPECIFICATION

SIZE	8	7	6	5	4	3	2	1	1/0	2/0	3/0	4/0	5/0
STRENGTH	kg 17	17	17	21	21	26	27	27	31	31	40	40	40
	LB 37.47	37.47	37.47	46.28	46.28	57.30	59.51	59.51	68.32	68.32	88.16	88.16	88.16
WEIGHT(g)	0.18	0.22	0.28	0.38	0.53	0.80	1.12	1.39	2.07	2.63	3.72	4.43	5.46
QUANTITY	5	5	5	5	5	4	3	3	2	2	2	1	1

210-D

## 200-H POWER STAINLESS SWIVEL STAINLESS *New!*




### ■SPECIFICATION

SIZE	10	8	7	6	5	4	3
STRENGTH	kg 5.5	5.5	5.5	5.5	14	14	19
	LB 12.12	12.12	12.12	12.12	30.8	30.86	41.88
WEIGHT(g)	0.17	0.21	0.26	0.32	0.42	0.55	0.85
QUANTITY	4	4	4	4	4	3	3

200-H

## 210-B POWER STAINLESS SWIVEL STAINLESS



### ■SPECIFICATION


SIZE	8	7	6	5	4	3	2	1	1/0	2/0	3/0
STRENGTH	kg 4.5	4.5	7.7	8.9	8.9	12	13	13	17	17	23
	LB 9.92	9.92	16.97	19.62	19.62	26.45	28.65	28.65	37.47	37.47	50.69
WEIGHT(g)	0.19	0.28	0.35	0.60	0.65	1.0	1.38	1.63	2.46	3.06	4.30
QUANTITY	6	6	6	6	6	5	4	3	2	2	2

210-B

## 210-C POWER STAINLESS SWIVEL STAINLESS



210-C



■ SPECIFICATION

SIZE	10	8	7	6	5	4	3	2	1	1/0	2/0	3/0
STRENGTH kg	5.5	5.5	5.5	5.5	14	14	19	22	22	28	28	31
STRENGTH lb	12.12	12.12	12.12	12.12	30.86	30.86	41.88	48.49	48.49	61.71	61.71	68.32
WEIGHT(g)	0.17	0.21	0.26	0.32	0.42	0.55	0.85	1.35	1.65	2.42	3.03	4.35
QUANTITY	5	5	5	6	6	6	5	4	3	2	2	2

## 210-I POWER STAINLESS SWIVEL STAINLESS *New!*



210-I




■ SPECIFICATION

SIZE	8	7	6	5	4	3	2	1
STRENGTH kg	5.9	5.9	5.9	14	14	19	23	23
STRENGTH lb	13.00	13.00	13.00	30.86	30.86	41.88	50.70	50.70
WEIGHT(g)	0.31	0.36	0.42	0.56	0.71	1.10	1.86	2.18
QUANTITY	3	3	3	3	3	3	2	2

## 210-N POWER STAINLESS SWIVEL STAINLESS *New!*



210-N




■ SPECIFICATION

SIZE	6x7	5x6	4x5	3x4	2x3
STRENGTH kg	14	14	19	19	22
STRENGTH lb	30.86	30.86	41.88	41.88	48.50
WEIGHT(g)	0.52	0.65	0.95	1.29	1.48
QUANTITY	3	4	4	4	3

## 210-E POWER STAINLESS SWIVEL STAINLESS



210-E



■ SPECIFICATION

SIZE	6x7	5x6	4x5	3x4	2x3	1x2	1/0x1	2/0x1/0	3/0x2/0	4/0x3/0	5/0x4/0
STRENGTH kg	38	42	63	81	93	139	172	193	288	327	391
STRENGTH lb	83.75	92.57	138.82	178.52	204.97	306.36	379.09	425.37	634.75	720.71	861.76
WEIGHT(g)	0.35	0.49	0.67	1.03	1.52	2.04	2.84	3.94	5.32	6.76	8.56
QUANTITY	4	5	5	5	5	4	3	2	2	1	1

## 400-A DIA EYE ROLLING



400-A




■ SPECIFICATION

SIZE	14	12	10	8	7	6	5	4	3	2	1	1/0	2/0	3/0	4/0
STRENGTH kg	4	7	9	14	19	22	30	32	35	40	43	47	60	75	100
STRENGTH lb	8.82	15.43	19.84	30.86	41.88	48.49	66.12	70.53	77.14	88.16	94.77	103.59	132.24	165.30	220.40
WEIGHT(g)	0.03	0.04	0.06	0.11	0.13	0.18	0.23	0.30	0.39	0.49	0.62	0.79	1.10	1.67	1.87
QUANTITY	16	16	16	16	15	14	13	12	11	9	7	5	4	3	3

## 400-B DIA EYE ROLLING



400-B




■ SPECIFICATION

SIZE	14	12	10	8	7	6	5	4	3	2	1	1/0	2/0	3/0	4/0
STRENGTH kg	7	7	10	10	12	12	14	14	18	18	25	25	43	43	60
STRENGTH lb	15.43	15.43	22.04	22.04	26.45	26.45	30.86	30.86	39.67	39.67	55.10	55.10	94.77	94.77	132.24
WEIGHT(g)	0.11	0.13	0.15	0.19	0.23	0.28	0.40	0.47	0.68	0.78	1.06	1.24	1.89	2.46	3.20
QUANTITY	8	8	8	8	8	8	7	7	6	6	5	4	3	2	2

## 310-A BALL BEARING SWIVEL STAINLESS



310-A




### ■SPECIFICATION

SIZE	0	1	2	3	4	5	6	7
STRENGTH kg	27	27	31	45	69	90	135	202
STRENGTH LB	59.51	59.51	68.32	99.18	152.08	198.36	297.54	445.21
WEIGHT(g)	6.30	3.43	2.21	1.27	0.74	0.57	0.50	0.44
QUANTITY	4	4	4	4	3	3	2	2

## 310-B BALL BEARING SWIVEL STAINLESS *New!*



310-B




### ■SPECIFICATION

SIZE	0	1	2	3	4	5	6	7
STRENGTH kg	6	6	14	19	23	28	32	32
STRENGTH LB	13.22	13.22	30.86	41.88	50.70	61.72	70.54	70.54
WEIGHT(g)	0.46	0.52	0.65	0.91	1.67	2.28	70.54	70.54
QUANTITY	4	4	4	4	4	3	2	2

## 310-C BALL BEARING SWIVEL STAINLESS



310-C



### ■SPECIFICATION

SIZE	1	2	3	4	5	6	7
STRENGTH kg	23	23	28	45	69	80	135
STRENGTH LB	50.69	50.69	61.71	99.18	152.08	176.32	297.54
WEIGHT(g)	4.53	2.29	1.59	0.91	0.65	0.56	0.51
QUANTITY	3	3	3	3	3	2	1

## PA252 SINGLE DIAMOND EYE SWIVEL *New!*



PA252



### ■SPECIFICATION

SIZE	14	12
STRENGTH kg	4	7
STRENGTH LB	8.81	15.43
WEIGHT(g)	0.03	0.04
QUANTITY	10	10

## PA253 DOUBLE DIAMOND EYE SWIVEL *New!*



PA253



### ■SPECIFICATION

SIZE	14	12
STRENGTH kg	4	7
STRENGTH LB	8.81	15.43
WEIGHT(g)	0.03	0.04
QUANTITY	10	10

## PA254 GOLD EYE SWIVEL *New!*



PA254



### ■SPECIFICATION

SIZE	14	12
STRENGTH kg	4	7
STRENGTH LB	8.81	15.43
WEIGHT(g)	0.03	0.04
QUANTITY	10	10



## CALAMARI SNAP A



P-311 10 PCS PER PACK

## CALAMARI SNAP C



P-289 5 PCS PER PACK

## EGISNAP II



P-240

### ■ SPECIFICATION

SIZE	S	M	L
STRENGTH kg	15	16	17
STRENGTH LB	33.1	35.3	37.5
QUANTITY	6	6	6

## STRONG EGISNAP



PA251

### ■ SPECIFICATION

SIZE	S	M	L
STRENGTH kg	18	22	32
STRENGTH LB	39.7	48.5	70.5
QUANTITY	6	6	6

## EGISNAP



P-403

### ■ SPECIFICATION

SIZE	S	M	L	LL
STRENGTH kg	8	8	13	13
STRENGTH LB	17.6	17.6	28.7	28.7
QUANTITY	9	9	8	8

## QUICK SNAP II



FP-280

### ■ SPECIFICATION

SIZE	1	2	3	4	5	6
STRENGTH kg	10	16	22	24	30	34
STRENGTH LB	22	35.2	48.4	52.8	66	74.8
QUANTITY	5	5	5	4	4	4

## SUPER LOCK SNAP




FP-300

### ■ SPECIFICATION

SIZE	1	2	3	4	5
STRENGTH kg	22.7	31.8	31.8	59	95.3
STRENGTH LB	50	70	70	130	210
QUANTITY	6	6	6	5	5

## SUPER LOCK SET



FP-310

### ■ SPECIFICATION


SIZE	6x1	5x2	4x3	3x4	2x5
STRENGTH kg	22.7	31.8	31.8	59	95.3
STRENGTH LB	50	70	70	130	210
QUANTITY	4	4	3	3	3

## CRYSTAL EGG BALL




PA258

### REAL SIZE



### ■ SPECIFICATION

SIZE (mm)	10	8	6	4
QUANTITY	10	8	6	4



## HARD GLOW BEAD



P-187

### REAL SIZE



### ■ SPECIFICATION


SIZE	0	1	2	3	3.5	4	5
HOLE DIAMETER (mm)	0.8	0.5	0.8	1.1	1.1	1.1	1.7
QUANTITY	60	60	50	40	30	30	20

## SOFT GLOW BEAD



P-242


### REAL SIZE



### ■ SPECIFICATION


SIZE	1	2	3	3.5	4
HOLE DIAMETER (mm)	0.5	0.8	1.1	1.1	1.1
QUANTITY	38	35	30	22	20

## TREASURE BEAD



P-501~505

### REAL SIZE



### ■ SPECIFICATION

SIZE	2	3	4	6
HOLE DIAMETER (mm)	0.8	0.8	1	1
QUANTITY	28	25	21	18



## CLEAR CROSS BEAD




### ■SPECIFICATION

SIZE	SS	S	M	L	LL	3L
Main hole DIA (mm)	0.40	0.50	0.60	0.60	0.80	1.20
Branch hole DIA (mm)	0.30	0.40	0.50	0.60	0.80	1.00
Quantity	18	18	17	16	14	6

P-405

## GLOW CROSS BEAD *New!*



### ■SPECIFICATION

SIZE	S	M	L	LL
Main hole DIA (mm)	0.50	0.60	0.60	0.80
Branch hole DIA (mm)	0.40	0.50	0.60	0.80
Quantity	15	13	11	10

P-406

## MICRO GLASS BEAD (FOR CROSS BEADS)



PA257

### ■SPECIFICATION

COLOR	BLACK	METALLIC
QUANTITY	200	200

## SPRING CROSS BEAD



PA280



### ■SPECIFICATION

SIZE	S	M	L	LL
Main hole DIA (mm)	0.50	0.60	0.70	0.80
Branch hole DIA (mm)	0.40	0.50	0.60	0.70
Quantity	5	5	5	5

## TEARS CROSS BEAD *New!*



P-506



### ■SPECIFICATION

SIZE	S	M	L	LL
Main hole DIA (mm)	0.50	0.60	0.70	0.80
Branch hole DIA (mm)	0.40	0.50	0.60	0.70
Quantity	18	17	16	14

## UV CLEAR BEAD *New!*



P-189



### ■SPECIFICATION

SIZE	1	2	3	3.5	4
Quantity	50	50	40	30	30

## PINK BEAD *New!*



P-186



### ■SPECIFICATION

SIZE	1	2	3	3.5	4
Quantity	60	50	40	30	30




## FLOATING STOP-ROUND



PA270

### ■SPECIFICATION

SIZE	0	1	2	3	4	5	6
RECOMMEND MONO SIZE (mm)	-0.20	-0.20	-0.23	-0.28	-0.28	-0.28	-0.33




## FLOATING STOP-ROUND GLOW



PA304

### ■SPECIFICATION

SIZE	0	1	2	3	4	5	6
RECOMMEND MONO SIZE (mm)	-0.20	-0.20	-0.23	-0.28	-0.28	-0.28	-0.33




## FLOATING STOP-OVAL



PA271

### ■SPECIFICATION

SIZE	0	1	2	3	4	5	6	7
RECOMMEND MONO SIZE by SASAME WORMER LINE (mm)	-0.20	-0.23	-0.28	-0.28	-0.28	-0.33	-0.33	-0.33




## FLOATING STOP-OVAL GLOW



PA305

### ■SPECIFICATION


SIZE	0	1	2	3	4	5	6	7
RECOMMEND MONO SIZE by SASAME WORMER LINE (mm)	-0.20	-0.23	-0.28	-0.28	-0.28	-0.33	-0.33	-0.33



## HOLOGRAM SHEET



P-301





# SAMULINE JAPAN

SUPER FISHING LINE

## FISHING LINES

100% MADE IN JAPAN

LINES  
SASAME

### 300m PE SUPER / PREMIUM



SASAME PE SUPER 300m Braided\*4 SUPER POLYETHYLEN FIBER

■ 6 NOT connected spools per box


PE SUPER 300M	size	2	2.5	3	4
	mm	0.24	0.27	0.30	0.34
	kg	11.0	13.0	15.5	21.0
	LB	24.2	28.6	34.1	46.2

SASAME PE PREMIUM 300m Braided\*8 SUPER POLYETHYLEN FIBER

■ 6 NOT connected spools per box

PE PREMIUM 300M	size	2	2.5	3	4	5	6	8
	mm	0.24	0.27	0.30	0.34	0.38	0.42	0.48
	kg	13.5	17.0	20.0	26.0	32.0	37.0	48.0
	LB	29.7	37.4	44.0	57.3	70.5	81.5	105.8

#### COLOR MARKING PATTERN



### PE BRAIDED LINES

#### 100m PE PREMIUM LDY-7



■ 12 connected spools per box The MOQ for each size from 8 to 15 is 60 pcs

PE PREMIUM 100M	size	0.8	1	1.5	2	3	4	5	6	8	10	12	15
	mm	0.15	0.16	0.20	0.23	0.28	0.33	0.36	0.41	0.45	0.52	0.57	0.62
	kg	6.0	7.5	10.0	13.5	20.0	26.0	32.0	37.0	45.0	55.0	68.0	80.0
	LB	13.2	16.5	22.0	29.7	44.0	57.3	70.5	81.5	99.3	121.3	150.0	176.4

#### 125m LDY-1 LDY-2

LINE COLOR BLACK  
LINE COLOR YELLOW



■ 1 spool per box

125M	mm	0.12	0.16	0.20	0.23	0.26	0.30
• TWILIGHT BLACK	kg	5.5	7.4	9.3	12.0	17.4	22.0
• YELLOW FLUORESCENT	LB	12.1	16.3	20.5	26.4	38.4	48.5

#### 100m



Sinking Soft : 75% Super PE and 25% Polyester  
Super Light : 100% Super PE

■ 10 connected spools per box

SINKING SOFT 100M	mm	0.04	0.08	0.12	0.16	0.20	0.23	0.26	0.30	0.35	0.40	0.45
	kg	2.7	4.2	6.1	8.0	10.1	12.1	14.6	18.5	23.0	27.6	37.0
SUPER LIGHT 100M	mm	0.04	0.08	0.12	0.16	0.20	0.23	0.26	0.30	0.35	0.40	0.45
	kg	3.4	5.6	7.2	10.5	15.4	18.4	23.5	28.9	33.5	39.5	49.0

**CO-POLYMER LINES**

**100m WORMER LINE**

Nylon Monofilament Line

Made in Japan



Musashi **CLEAR** LNY-2

Katana **YELLOW** LNY-4

Samurai **BROWN** LNY-5

12 connected spools per box

100M	mm	0.06	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26	0.28	0.30	0.35	0.40
Musashi CLEAR	kg	0.39	0.66	1.01	1.44	1.94	2.51	3.15	3.81	4.56	5.23	6.07	6.97	7.92	10.67	13.80
Ninja GREEN																
Katana YELLOW																
Samurai BROWN																



**150m**



Musashi **CLEAR** LNY-6

High quality Co-Polymer.

1 spool per box

150M	mm	0.14	0.16	0.18	0.20	0.22	0.24	0.26	0.28	0.30	0.35
Musashi CLEAR	kg	2.2	2.7	3.2	4.0	4.5	5.3	6.3	7.3	8.4	11.0
	LB	4.8	5.9	7.0	8.8	9.9	11.6	13.8	16.0	18.5	24.2



**FLUOROCARBON LINES**


**50m** SOFT TYPE LFL-3



12 NOT connected spools per box

50M CLEAR	mm	0.16	0.18	0.20	0.23	0.26	0.28	0.31	0.33	0.37	0.40
	kg	2.03	2.48	2.90	3.95	4.78	5.86	6.84	7.39	9.25	11.05
	LB	4.47	5.46	6.39	8.70	10.53	12.91	15.08	16.29	20.39	24.36

**250m** HARD TYPE LFL-2



1 spool per box

250M CLEAR	mm	0.14	0.16	0.18	0.20	0.22	0.25	0.28	0.30	0.35
	kg	1.27	1.67	2.07	2.44	2.96	3.86	4.44	5.10	6.30
	LB	2.80	3.67	4.57	5.39	6.53	8.52	9.80	11.30	13.89

**50m** HARD TYPE LFL-1



FOR SHOCK LEADER  
BIG SPOOL 0.50mm-0.95mm

10 NOT connected spools per box

50M CLEAR	REGULAR SPOOL	mm	0.08	0.09	0.10	0.12	0.14	0.16	0.18	0.20
		kg	0.56	0.66	0.98	1.20	1.27	1.67	2.07	2.44
BIG SPOOL (SHOCK LEADER)	mm	0.22	0.25	0.28	0.30	0.35	0.38	0.40		
		kg	2.96	3.86	4.44	5.10	6.30	7.80	9.50	
	mm	0.50	0.60	0.72	0.78	0.95				
	kg	13.2	18.9	24.6	27.3	38.7				
	LB	29.1	41.7	56.3	60.2	85.4				

**CURIOMAX LIGHT GAME** BAIT MODEL 1PIECE

The new spinning rod CURIOMAX made for not only light jigging fishing but also for kinds of freshwater fishing. The main concept is how we call, HIGH-GRADE SIMPLY. weight to be light, use only high grade carbon and avoid unnecessary accessories.



■CURIOMAX LIGHT GAME SPECIFICATION

CODE:	SIZE	LENGTH(ft)	Section	ROD WEIGHT(g)	TYPE	ACTION	REC.LURE WEIGHT	GUIDE	REC.PE LINE
F-S01	0.4	6.01Ft	1	124	Spinning	AV Fast	5-20g	FUJI ALCONITE K guide 8pcs	0.4-1.0
F-S01	0.6	6.01Ft	1	126	Spinning	AV Fast	7-20g	FUJI ALCONITE K guide 8pcs	0.6-1.5
F-S01	0.8	6.01Ft	1	130	Spinning	AV Fast	8-30g	FUJI ALCONITE K guide 8pcs	0.8-2.0

**VOLTINA SPINNING** SPINNING MODEL 2PIECES

The new spinning 2pcs rod,VOLTINA is for mainly use as freshwater fishing who need very light rod with fast action. We concentrate our basic technology into this stick. The best you can rate its stick by yourself.



■VOLTINA SPINNING SPECIFICATION

CODE:	SIZE	LENGTH(ft)	Section	ROD WEIGHT(g)	TYPE	ACTION	REC.LURE WEIGHT	GUIDE	REC.MONO LINE
F-S02	6'0	6.00Ft	2	93	Spinning	AV Fast	1/16~1/2oz	FUJI ALCONITE K guide 8pcs	1-10Lb
F-S02	6'3	6.30Ft	2	97	Spinning	AV Fast	1/16~1/2oz	FUJI ALCONITE K guide 8pcs	1-10Lb





## SASAME CHEMICAL POWER LIGHT STICK "POW POW"

We only use power glow powder, it can not only attract fish, but also clearly see what happens on float or hooks. It assure you its durability and it must be essential item for night fishing.



■ SASAME CHEMICAL POWER LIGHTSTICK "POW POW"

CODE:	NO.	SIZE	VISIBILITY	DURABILITY	Qty/1pack	Packs/1box
FF100	25	2.9mm×25mm	15m	7hrs	2	50
	37	4.5mm×37mm	30m	7hrs	2	50
	50	6.0mm×50mm	50m	7hrs	2	50
	75	7.5mm×75mm	100m	7hrs	1	50

## SASAME MADAI STICKER *New!*



■ SASAME MADAI STICKER  
SIZE 20cm × 12cm

## SASAME CUTTING STICKER *New!*



■ SASAME CUTTING STICKER  
SIZE (L) 50cm × 9.8cm

## SHOUT CUTTING STICKER *New!*



■ SHOUT CUTTING STICKER  
SIZE (L) 50cm × 10.3cm  
SIZE (S) 20cm × 4.3cm

## SUPER DRY EX JACKET SUPER DRY SHIRT COMPETITION



BACK

FRONT



FRONT



BACK

■ SUPER DRY EX JACKET SPECIFICATION

CODE:	SIZE	Body Length(cm)	Body Width	Sleeve Length
F-050	XS	72	50	59
	S	74	52	61
	M	76	55	63
	L	78	58	65
	XL	80	61	67

■ SUPER DRY EX SHIRT COMPETITION SPECIFICATION

CODE:	SIZE	Body Length(cm)	Body Width	Sleeve Length
F-051	XS	67	49	54
	S	70	52	56
	M	73	55	57
	L	76	58	59
	XL	79	61	60

Fresh Water Lure Brand



Embodiment of a view of the bass fishing world.

Game Fishing & More Style



Waterside Adventure.

